## AUTHOR INDEX


AGIN, GERALD, Panel discussion on industrial visual automation, 150
ALTSCHULER, BRUCE R., Measuring surfaces space-coded by a laser-projected dot matrix, 187
ALTSCHULER, BRUCE R., Laser electro-optic system for three-dimensional (3D) topographic mensuration, 192
ALTSCHULER, MARTIN D., Measuring surfaces space-coded by a laser-projected dot matrix, 187
ALTSCHULER, MARTIN D., Laser electro-optic system for three-dimensional (3D) topographic mensuration, 192
ARLAN, L., High-resolution computer-controlled television system for hybrid circuit inspection, 130
ASADA, HARUO, New image processing hardwares and their applications to industrial automation, 14
ASAI, K., Automatic fingerprint identification, 49
BATCHELOR, B. G., Defect detection on the internal surfaces of hydraulics cylinders for motor vehicles, 65
BOLLES, ROBERT C., Robust feature matching through maximal cliques, 140
BRANAMAN, L. A., Recent applications of electronic vision to noncontact automatic inspection, 102
BROOK, RICHARD A., Development of techniques for automated industrial inspection in the United Kingdom in the age of microprocessors, 79
BROOK, R. A., Panel discussion on industrial visual automation, 150
CANTELLA, M. J., High-resolution computer-controlled television system for hybrid circuit inspection, 130
DUDZIAK, T. J., High-resolution computer-controlled television system for hybrid circuit inspection, 130
ELLINGER, H., Tomographic analysis of structural materials, 179
FUJIHARA, KATSUMI, Automatic mask pattern inspection for printed circuits based on pattern width measurement, 38
HOPKINS, F., Tomographic analysis of structural materials, 179
HOSHINO, Y., Automatic fingerprint identification, 49
INAGAKI, TAKEFUMI, Automatic mask pattern inspection for printed circuits based on pattern width measurement, 38
ISHII, NOBUO, Industrial visual system by a symmetry operator, 22
JACOBS, ALAN M., Nonintrusive transaxial tomography technique for velocity profile measurement, 164
KATO, Y., Automatic fingerprint identification, 49
KIDODE, MASATSUGU, New image processing hardwares and their applications to industrial automation, 14
KIJI, K., Automatic fingerprint identification, 49
KLINKSIEK, R., Tomographic analysis of structural materials, 179
KOPYDLOWSKI, D. J., Missing-hole detection system using solid-state video cameras, 118
KOSHIMIZU, HIROYASU, Fundamental study on automatic fabric inspection by computer image processing, 30
KRAYEWSKY, M. F., High-resolution computer-controlled television system for hybrid circuit inspection, 130
KRUGER, RICHARD P., Panel discussion on industrial visual automation, 150
KRUGER, R. P., Simulated neutron tomography for nondestructive assays, 158
MAYS, JOE, Precision image isocon TV camera, 83
MORGAN, I. L., Tomographic analysis of structural materials, 179
MORRIS, R. A., Simulated neutron tomography for nondestructive assays, 158
NAKASHIMA, MASATO, Automatic mask pattern inspection for printed circuits based on pattern width measurement, 38
OKAMOTO, KENJI, Industrial visual system by a symmetry operator, 22
OOSTERLINCK, A., The Leuven automatic visual inspection machine (LAVIM), 58
RODER, FREDRICK L., Explosives detection by dual-energy computed tomography (CT), 171
SAWAJI, MASAO, Measuring method of quality of luster: measurement and analysis of microstructural reflection characteristics, 6
SUMIDA, TETSUO, Industrial visual system by a symmetry operator, 22
TABATA, MITSUO, New image processing hardwares and their applications to industrial automation, 14
TABOADA, J., Measuring surfaces space-coded by a laser-projected dot matrix, 187
TABOADA, J., Laser electro-optic system for three-dimensional (3D) topographic mensuration, 192
THOMPSON, J. NEILS, Tomographic analysis of structural materials, 179
TSUJI, SABURO, Survey on vision systems for advanced automation in Japan, 2
ULATOWSKI, JAMES K., Solid-state monolithic photodiode array—a system component, 110
VAN DAELE, J., The Leuven automatic visual inspection machine (LAVIM), 58
VAN DEN BERGHE, H., The Leuven automatic visual inspection machine (LAVIM), 58
WATANABE, SADAKAZU, New image processing hardwares and their applications to industrial automation, 14
WILDER, JOSEPH, Applications of a flexible pattern recognition system in industrial inspection, 94
WILLIAMS, G. A., Defect detection on the internal surfaces of hydraulics cylinders for motor vehicles, 65
YACHIDA, MASAHIKO, Panel discussion on industrial visual automation, 150


## SUBJECT INDEX


Advanced automation in Japan, survey on vision systems for, 2
Analysis of microstructural reflection characteristics, measuring method of quality of luster: measurement and, 6
Applications of electronic vision to noncontact automatic inspection, recent, 102
Applications of a flexible pattern recognition system in industrial inspection, 94
Applications to industrial automation, new image processing hardwares and their, 14
Array—a system component, solid-state monolithic photodiode, 110
Assays, simulated neutron tomography for nondestructive, 158
Automated industrial inspection in the United Kingdom in the age of microprocessors, development of techniques for, 79
Automatic fabric inspection by computer image processing, fundamental study on, 30
Automatic fingerprint identification, 49
Automatic inspection, recent applications of electronic vision to noncontact, 102
Automatic mask pattern inspection for printed circuits based on pattern width measurement, 38
Automatic visual inspection machine (LAVIM), the Leuven, 58
Automation in Japan, survey on vision systems for advanced, 2
Automation, new image processing hardwares and their applications to industrial, 14
Automation, panel discussion on industrial visual, 150

Camera, precision image isocon TV, 83
Cameras, missing-hole detection system using solid-state video, 118
Characteristics, measuring method of quality of luster: measurement and analysis of microstructural reflection, 6
Circuit inspection, high-resolution computer-controlled television system for hybrid, 130
Circuits based on pattern width measurement, automatic mask pattern inspection for printed, 38
Cliques, robust feature matching through maximal, 140
Computed tomography (CT), explosives detection by dual-energy, 171

Computer-controlled television system for hybrid circuit inspection, high-resolution, 130
Computer image processing, fundamental study on automatic fabric inspection by, 30
Cylinders for motor vehicles, defect detection on the internal surfaces of hydraulics, 65

Defect detection on the internal surfaces of hydraulics cylinders for motor vehicles, 65
Detection by dual-energy computed tomography (CT), explosives, 171
Detection on the internal surfaces of hydraulics cylinders for motor vehicles, defect, 65
Detection system using solid-state video cameras, missing-hole, 118
Development of techniques for automated industrial inspection in the United Kingdom in the age of microprocessors, 79
Dot matrix, measuring surfaces space-coded by a laser-projected, 187
Dual-energy computed tomography (CT), explosives detection by, 171

Electronic vision to noncontact automatic inspection, recent applications of, 102
Electro-optic system for three-dimensional (3D) topographic mensuration, laser, 192
Explosives detection by dual-energy computed tomography (CT), 171

Fabric inspection by computer image processing, fundamental study on automatic, 30
Feature matching through maximal cliques, robust, 140
Fingerprint identification, automatic, 49
Flexible pattern recognition system in industrial inspection, applications of a, 94
Fundamental study on automatic fabric inspection by computer image processing, 30

Hardwares and their applications to industrial automation, new image processing, 14
High-resolution computer-controlled television system for hybrid circuit inspection, 130
Hole detection system using solid-state video cameras, missing-, 118
Hybrid circuit inspection, high-resolution computer-controlled television system for, 130

Identification, automatic fingerprint, 49
Image isocon TV camera, precision, 83
Image processing, fundamental study on automatic fabric inspection by computer, 30
Image processing hardwares and their applications to industrial automation, new, 14
Industrial automation, new image processing hardwares and their applications to, 14
Industrial inspection, applications of a flexible pattern recognition system in, 94
Industrial inspection in the United Kingdom in the age of microprocessors, development of techniques for automated, 79
Industrial visual automation, panel discussion on, 150
Industrial visual system by a symmetry operator, 22
Inspection, applications of a flexible pattern recognition system in industrial, 94
Inspection by computer image processing, fundamental study on automatic fabric, 30
Inspection, high-resolution computer-controlled television system for hybrid circuit, 130
Inspection machine (LAVIM), the Leuven automatic visual, 58
Inspection for printed circuits based on pattern width measurement, automatic mask pattern, 38
Inspection, recent applications of electronic vision to noncontact automatic, 102
Inspection in the United Kingdom in the age of microprocessors, development of techniques for automated industrial, 79
Internal surfaces of hydraulics cylinders for motor vehicles, defect detection on the, 65

Isocon TV camera, precision image, 83

Japan, survey on vision systems for advanced automation in, 2

(LAVIM), the Leuven automatic visual inspection machine, 58
Laser electro-optic system for three-dimensional (3D) topographic mensuration, 192
Laser-projected dot matrix, measuring surfaces space-coded by a, 187
Luster: measurement and analysis of microstructural reflection characteristics, measuring method of quality of, 6

Machine (LAVIM), the Leuven automatic visual inspection, 58
Mask pattern inspection for printed circuits based on pattern width measurement, automatic, 38
Matching through maximal cliques, robust feature, 140
Materials, tomographic analysis of structural, 179
Matrix, measuring surfaces space-coded by a laser-projected dot, 187
Maximal cliques, robust feature matching through, 140
Measurement and analysis of microstructural reflection characteristics, measuring method of quality of luster:, 6
Measurement, automatic mask pattern inspection for printed circuits based on pattern width, 38
Measurement, nonintrusive transaxial tomography technique for velocity profile, 164
Measuring method of quality of luster: measurement and analysis of microstructural reflection characteristics, 6
Measuring surfaces space-coded by a laser-projected dot matrix, 187
Mensuration, laser electro-optic system for three-dimensional (3D) topographic, 192
Method of quality of luster: measurement and analysis of microstructural reflection characteristics, measuring, 6
Microprocessors, development of techniques for automated industrial inspection in the United Kingdom in the age of, 79
Microstructural reflection characteristics, measuring method of quality of luster: measurement and analysis of, 6
Missing-hole detection system using solid-state video cameras, 118
Monolithic photodiode array—a system component, solid-state, 110
Motor vehicles, defect detection on the internal surfaces of hydraulics cylinders for, 65

Neutron tomography for nondestructive assays, simulated, 158
New image processing hardwares and their applications to industrial automation, 14
Noncontact automatic inspection, recent applications of electronic vision to, 102
Nondestructive assays, simulated neutron tomography for, 158
Nonintrusive transaxial tomography technique for velocity profile measurement, 164

Operator, industrial visual system by a symmetry, 22

Panel discussion on industrial visual automation, 150
Pattern inspection for printed circuits based on pattern width measurement, automatic mask, 38
Pattern recognition system in industrial inspection, applications of a flexible, 94
Pattern width measurement, automatic mask pattern inspection for printed circuits based on, 38
Photodiode array—a system component, solid-state monolithic, 110
Precision image isocon TV camera, 83
Printed circuits based on pattern width measurement, automatic mask pattern inspection for, 38
Processing, fundamental study on automatic fabric inspection by computer image, 30
Processing hardwares and their applications to industrial automation, new image, 14
Profile measurement, nonintrusive transaxial tomography technique for velocity, 164

Quality of luster: measurement and analysis of microstructural reflection characteristics, measuring method of, 6

Recent applications of electronic vision to noncontact automatic inspection, 102
Recognition system in industrial inspection, applications of a flexible pattern, 94
Reflection characteristics, measuring method of quality of luster: measurement and analysis of microstructural, 6
Robust feature matching through maximal cliques, 140

Simulated neutron tomography for nondestructive assays, 158
Solid-state monolithic photodiode array—a system component, 110
Solid-state video cameras, missing-hole detection system using, 118
Space-coded by a laser-projected dot matrix, measuring surfaces, 187
Structural materials, tomographic analysis of, 179
Study on automatic fabric inspection by computer image processing, fundamental, 30
Surfaces of hydraulics cylinders for motor vehicles, defect detection on the internal, 65
Surfaces space-coded by a laser-projected dot matrix, measuring, 187
Survey on vision systems for advanced automation in Japan, 2
Symmetry operator, industrial visual system by a, 22
System for hybrid circuit inspection, high-resolution computer-controlled television, 130
System in industrial inspection, applications of a flexible pattern recognition, 94
System by a symmetry operator, industrial visual, 22
System for three-dimensional (3D) topographic mensuration, laser electro-optic, 192
System using solid-state video cameras, missing-hole detection, 118
Systems for advanced automation in Japan, survey on vision, 2

Technique for velocity profile measurement, nonintrusive transaxial tomography, 164
Techniques for automated industrial inspection in the United Kingdom in the age of microprocessors, development of, 79
Television system for hybrid circuit inspection, high-resolution computer-controlled, 130
Three-dimensional (3D) topographic mensuration, laser electro-optic system for, 192
(3D) topographic mensuration, laser electro-optic system for three-dimensional, 192
Tomographic analysis of structural materials, 179
Tomography (CT), explosives detection by dual-energy computed, 171
Tomography for nondestructive assays, simulated neutron, 158
Tomography technique for velocity profile measurement, nonintrusive transaxial, 164
Topographic mensuration, laser electro-optic system for three-dimensional (3D), 192
Transaxial tomography technique for velocity profile measurement, nonintrusive, 164
TV camera, precision image isocon, 83

United Kingdom in the age of microprocessors, development of techniques for automated industrial inspection in the, 79

Vehicles, defect detection on the internal surfaces of hydraulics cylinders for motor, 65
Velocity profile measurement, nonintrusive transaxial tomography technique for, 164
Video cameras, missing-hole detection system using solid-state, 118
Vision to noncontact automatic inspection, recent applications of electronic, 102
Vision systems for advanced automation in Japan, survey on, 2
Visual automation, panel discussion on industrial, 150
Visual inspection machine (LAVIM), the Leuven automatic, 58
Visual system by a symmetry operator, industrial, 22

Width measurement, automatic mask pattern inspection for printed circuits based on pattern, 38